

Sub C17  
By

2. (Twice Amended) The apparatus according to claim 12, wherein the vehicle further comprises a base on which, viewed in a traveling direction A, at its one end the first lifting device and at its other end the second lifting device is disposed.

Sub C17  
By

4. (Amended) The apparatus according to claim 12, wherein the picker-carrying device and the pallet carrying device are, in plan view, disposed opposite one another.

5. (Twice Amended) The apparatus according to claim 12, wherein the vehicle is rail-mounted.

6. (Amended) The apparatus according to claim 12, wherein the picker-carrying device further comprises a circumferential crash guard for the picker.

7. (Amended) The apparatus according to claim 12, wherein, above the order pallet, the pallet-carrying device comprises a terminal for displaying the picking positions.

8. (Amended) The apparatus according to claim 12, wherein the picker-carrying device further comprises a dead man's switch.

Sub C17  
By

10. (Amended) The apparatus according to claim 12, wherein the pallet-carrying device comprises a load receiving means for receiving and delivering the order pallet.

Sub C17  
By

12. (Amended) An apparatus for picking articles situated on retrieval pallets in a pallet rack, the apparatus comprising a vehicle capable of traveling along the picking front of the pallet rack and having a first lifting device with a height-adjustable picker carrying device for the picker and having a second lifting device with a height-adjustable pallet-carrying device for an order pallet, wherein the picker-carrying device and the pallet carrying device are positionable heightwise relative to the respective retrieval position independently of one another, wherein the pallet-carrying device comprises a sensor device for determining the degree of charging of the order pallet.

13. (Amended) The apparatus according to claim 12, wherein the travel of the vehicle and of the lifting devices to the respective retrieval positions and/or transfer positions is controllable by means of a control computer.

C1 14. (Amended) An apparatus for picking articles situated on retrieval pallets in a pallet rack, the apparatus comprising a vehicle capable of traveling along the picking front of the pallet rack and having a first lifting device with a height-adjustable picker carrying device for the picker and having a second lifting device with a height-adjustable pallet-carrying device for an order pallet, wherein the picker-carrying device and the pallet carrying device are positionable heightwise relative to the respective retrieval position independently of one another,

wherein the travel of the vehicle and of the lifting devices to the respective retrieval positions and/or transfer positions is controllable by means of a control computer, and

wherein the height of the picker-carrying device at the respective retrieval position is controllable on the basis of the residual stock quantity of the articles on the retrieval pallet.

15. (Amended) An apparatus for picking articles situated on retrieval pallets in a pallet rack, the apparatus comprising a vehicle capable of traveling along the picking front of the pallet rack and having a first lifting device with a height-adjustable picker carrying device for the picker and having a second lifting device with a height-adjustable pallet-carrying device for an order pallet, wherein the picker-carrying device and the pallet carrying device are positionable heightwise relative to the respective retrieval position independently of one another,

wherein the travel of the vehicle and of the lifting devices to the respective retrieval positions and/or transfer positions is controllable by means of a control computer, and

wherein the height of the pallet-carrying device at the respective retrieval position is controllable on the basis of the degree of charging of the order pallet.

Sub C17 17. (Amended) The apparatus according to claim 12, wherein the heights preset by the controller are manually correctable by the picker.

18. (Twice Amended) The apparatus according to claim 12, wherein the traveling movement of the vehicle and the lifting movements of the lifting devices are optionally effected simultaneously.

19. (Amended) The apparatus according to claim 12, wherein the picker-carrying device comprises a standing seat for the picker.

20. (Amended) The apparatus according to claim 12, wherein the power transmission to the vehicle is effected via a contact line.

---